

**IN THE CLAIMS:**

***Kindly replace the claims of record with the following full set of claims:***

1. (Currently amended) A method, operable in a processing system, for playing a downloaded content, comprising the steps:

reading a pre-stored content providing additional information regarding a content of said downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

detecting an available bandwidth;

sending a request for downloading the downloaded content according to the additional information regarding the downloaded content, wherein the request includes information of the detected available bandwidth;

selecting a quality of downloading the downloaded content from the menu of quality associated with the downloaded content, the quality selection being in conformance with the detected available bandwidth;

receiving the downloaded content according to the selected quality associated with the detected bandwidth; and

playing the downloaded content combined with the pre-stored content[[:]]; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

2. (Original)The method according to claim 1, wherein the request includes a URL of a website on which the downloaded content are stored.

3. (Original)The method according to claim 1, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

4. (Currently amended) A method for playing a downloaded content on a processing system, comprising the steps:

reading a pre-stored content providing additional information regarding a content of said downloaded content, the additional information including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

detecting an available bandwidth;

selecting a relevant quality of the downloaded content according to the detected bandwidth information and the additional information regarding the downloaded content;

sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality;

playing the downloaded content combined with the additional information regarding the content of the downloaded content; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

5. (Currently amended)The method according to claim 4, wherein the additional information regarding the downloaded content further includes an ID of an optical disk, and an URL of a website on which the downloaded content are stored ~~and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content.~~

6. (Original)The method according to claim 4, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

7. (Currently amended) A method for playing downloaded content, comprising

the steps:

reading a pre-stored content which include information regarding a content of the downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

detecting an available bandwidth;

selecting a relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of the downloaded content;

sending a request for downloading the downloaded content according to the information regarding the content of the downloaded content, wherein the request includes the relevant quality;

receiving the downloaded content according to the relevant quality;

playing the downloaded content combined with the information regarding the content of the downloaded content; and

monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

8. (Previously presented) The method according to claim 7, wherein the information regarding the content of the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

9. (Original) The method according to claim 8, wherein the detecting step is arranged for detecting throughput of effective information transmitted within a specific period.

10. (Currently amended) A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content to the downloaded content, the pre-stored content including

at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

a detecting means for detecting an available bandwidth;

a sending means for sending a request for downloading the downloaded content according to the information contained within the pre-stored content, wherein the request includes the information of the bandwidth;

a receiving means for receiving the downloaded content according with the detected bandwidth;

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

11. (Original) The device according to claim 10, wherein the request includes a URL of a website on which the downloaded content are stored.

12. (Original) The device according to claim 10, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

13. (Currently amended) A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content of the downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content t;

a detecting means for detecting available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality;

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

14. (Original) The device according to claim 13, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored and a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content.

15. (Original) The device according to claim 13, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.

16. (Currently amended) A device for playing a downloaded content, comprising:

a reading means for reading a pre-stored content which include information regarding a content of the downloaded content, the pre-stored content including at least a quality menu of the downloaded content, wherein the quality menu includes a plurality of quality options for the downloaded content;

a detecting means for detecting an available bandwidth;

a selecting means for selecting relevant quality of the downloaded content according to the detected bandwidth information and the information regarding the content of the downloaded content;

a sending means for sending a request for downloading the downloaded content according to the information relevant to the downloaded content, wherein the request includes the relevant quality;

a receiving means for receiving the downloaded content according to the relevant quality;

a playing means for playing the downloaded content combined with the pre-stored content; and

a monitoring means for monitoring the available bandwidth to adjust a quality of the combined downloaded content and the pre-stored content.

17. (Original) The device according to claim 16, wherein the information relevant to the downloaded content includes an ID of an optical disk, an URL of a website on which the downloaded content are stored.

18. (Original) The device according to claim 17, wherein the detecting means are arranged for detecting throughput of effective information transmitted within a specific period.